

Important Safeguards


This appliance is not intended for use by children or infirm persons without supervision. Young children should be supervised to ensure that they do not play with the appliance.

Warning: To guard against injury, basic safety precautions should be observed, including the following:

1. Read and follow all safety instructions before using this appliance.
2. Danger: To avoid possible electric shocks, special care should be taken since water is employed in the use of terrarium equipment. For each of the following situations do not attempt repairs yourself. Return the appliance to an authorised service facility for service or discard the appliance.
 - a) If the electrical components of the appliance get wet, unplug the appliance immediately (non immersible equipment only).
 - b) If the terrarium shows any sign of abnormal water leakage, immediately unplug it from the power source.
 - c) Carefully examine all terrarium accessories after installation. It should not be plugged in when there is water on parts which are not intended to be wet.
 - d) Do not operate any terrarium product if it has a damaged cord or plug, or if it is malfunctioning, or dropped or damaged in any manner.
 - e) The external flexible cable or cord of this transformer cannot be replaced. If the cord is damaged the transformer should be scrapped.

A "drip loop" (See the diagram) should be arranged by the user for each cord connecting a terrarium component to a receptacle. The drip loop is the part of the cord below the level of the receptacle or the connector if an extension cord is used. It is used to prevent water traveling along the cord and coming in contact with the receptacle. If the plug or receptacle does get wet, do not unplug the appliance. Disconnect the fuse or circuit breaker that supplies the power to the appliance, then unplug and examine for presence of water in the receptacle.

3. Close supervision is necessary when the appliance is used by or near children.
4. Always unplug the unit from the electrical outlet, when not in use, before putting on or taking off parts, before any type of maintenance, or cleaning. Never yank the cord to pull it from the outlet. Grasp the plug and unplug to disconnect.
5. Do not use the unit for reasons other than the intended use. The use of attachments that are not recommended or sold by the manufacturer may cause the product to be unsafe. This is not recommended.
6. Do not install or store the unit where it will be exposed to weather or temperatures below freezing.
7. Make sure any component mounted on or in a terrarium is securely installed before operating it.
8. Ensure input voltage is the same voltage as your local power supply.
9. If an extension cord is necessary, a cord with a proper rating should be used. Care should be taken to arrange the cord so that it will not be tripped or pulled.
10. A **G.F.C.I** (Ground fault circuit interrupter) & surge protector is recommended for all electrical appliances.
11. Ensure your hand is dry when turning the power switch on/off and when inserting/removing the power cord from the receptacle.
12. If you are in any doubt about the electrical installation or safety of this product you must consult a qualified electrician.



Before First Use / Preparation

Read and follow all the instructions, even if you feel you are familiar with the product and find a place to keep the instructions handy for future reference. Your attention is drawn particularly to the section concerning "IMPORTANT SAFEGUARDS".

Carefully unpack the unit making sure you keep all the packing material until all the parts of the product have been found and the product has been assembled.

This Product is shipped to you in a factory sealed carton. Should the Product be damaged, dropped, malfunctions in any way contact the retailer where the product was purchased for inspection.

Know Your Fogger

Tool



Locking ring



Ceramic disc




Sealing washer



Water level sensor switch

Mist cavity

Spring



Ceramic disc




Back



Front

Installation

1. If feeding the cable through a hole in the reservoir a hole size of 13mm is required to allow the hole to be plugged using the plug supplied on the cable. Note this is not a waterproof seal so the hole must be cut sufficiently above the water level.
2. Place the fogger into the water reservoir to a depth of between 47-61mm (see diagram right). Ensure the unit is sitting on a level surface.
3. Plug the fogger cable into the transformer and plug the transformer cable into a power receptacle. The unit can now be switched "on".



Important Tips

1. Fogger causes water to evaporate quickly. Ensure water level is kept at the recommended level. If water level drops below the water level sensor switch, fogger will shut off to prevent damage to the ceramic disc.
2. For best results fogger should be kept cool. This can be achieved by sitting the fogger in a reservoir that has an overflow and is fed from a larger water source.
3. If fogger is producing a spray of water instead of mist, the water supply is dirty and should be replaced.

Maintenance

4. Whenever maintenance is being performed on the fogger, the unit should be disconnected from the transformer and transformer should be switched "off" at the power receptacle.
2. Wash the unit in clean fresh water regularly ensuring the ceramic disc and water level sensor switch are clean.
3. Ceramic disc can be removed for cleaning but must only be cleaned with a soft cloth to prevent scratching from occurring.
4. After approx. 3000 hours of operation, ceramic ring will need to be replaced (part number 46601). When replacing ceramic disc, ensure the disc is placed with the correct side facing upwards.
 - a) Using the supplied tool, turn the locking ring counter clockwise.
 - b) Remove the locking ring and ceramic disc.
 - c) Ensure the inside of the mist cavity is clean and dry.
 - d) Place new ceramic disc onto the spring and replace the locking ring securely.

Precision Manufactured in the P.R.C.
Designed in Australia by Reptile One
Distributed in Australia by:
Kong's (Aust.) Pty. Limited
48 Williamson Rd Ingleburn
2565 NSW Australia

Distributed in New Zealand by:
Kong's (NZ) Limited
52 Glenlyon Avenue Greerton
Tauranga New Zealand

Distributed in Hong Kong by:
Kong's Aquarium Supplies Co., Ltd
No 31, 3/F Thriving Industrial Centre
26-38 Sha Tsui Road Tsuen Wan
Hong Kong

Distributed in the UK by:
Kong's (UK) Limited,
C/O Aqua Pacific UK Ltd.
PO Box 268
Romsey Hampshire
SO51 0WW
United Kingdom



Reptile One



220 - 240V ~ 50HZ



www.reptileone.com.au
© Reptile One and Kong's are registered trademarks.